

Nortel 200 Athens Way Nashville TN 37228

www.nortel.com

Nortel Electronic
Data Delivery

January 2006

Subj: SN09 (DMS) Standard Customer Documentation – Version 01.02

Dear Nortel Customer,

Enclosed in this collection is the customer information for the SNO9 (DMS) Standard release of the customer documentation.

The information is presented in the Adobe portable document format (pdf).

#### **Critical Release Notice Information**

The documents changed in the DMS and TDM collections include a Critical Release Notice. The Critical Release Notice contains the following information:

Publication number: XXX-XXXX-XXX

Publication release: (Preliminary or Standard) and version.issue (XX.XX) Content that the NTP (Nortel Technical Publications) supports: for example, the SNXX (DMS/TDM) software releases.

Bookmarks used in the NTPs highlight the changes between the NTP baseline and the current release. The bookmarks provided are color-coded to identify release-specific content changes. NTP volumes that do not contain bookmarks indicate that the NTP baseline remains unchanged and is valid for the current release.

### **Bookmark Color Legend**

Black: Applies to content for the NTP baseline that is valid through the current release.

Red: Applies to new or modified content for NAO17/ISNO4 (TDM) that is valid through the current release.

Blue: Applies to new or modified content for NAO18 (SNO5 DMS)/ISNO5 (TDM) that is valid through the current release.

Green: Applies to new or modified content for SNO6 (DMS)/ISNO6 (TDM) that is valid through the current release.

Purple: Applies to new or modified content for SNO7 (DMS)/ISNO7 (TDM) that is valid through the current release.

Pink: Applies to new or modified content for SNO8 (DMS)/ISNO8 (TDM) that is valid through the current release.

Orange: Applies to new or modified content for SN09 (DMS)/ISN09 (TDM) that is valid through the current release.

#### Attention!

Adobe Acrobat Reader\* 5.0 is required to view bookmarks in color.

If the bookmarks are not visible when a file is opened, select "Bookmarks" from under the "Window" menu.

## The confidentiality of Nortel information

The information contained in this release is the property of Nortel and is strictly confidential. Except as expressly authorized in writing by Nortel, the holder shall keep all information contained herein confidential, shall disclose the information only to its employees with a need to know, and shall protect the information, in whole or in part, from disclosure and dissemination to third parties with the same degree of care it uses to protect its own confidential information, but with no less than reasonable care. Except as expressly authorized in writing by Nortel, the holder is granted no rights to use the information contained herein.

All of the information contained in this release originated in the United Kingdom, Canada and the United States of America.

## **Copyright notices**

Nortel and the globemark design, the Nortel corporate logo, Passport, Preside, and Succession Networks are trademarks of Nortel.

Solaris 8, Sun Netra t 1400 Servers, Java, and all Java-based marks are trademarks or registered trademarks of Sun Microsystems Inc.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/).

ORO, the ORO logo, Original Reusable Objects, Component software for the Internet, and NetComponents are trademarks or registered trademarks of Original Reusable Objects, Inc. in the United States and other countries.

Netscape is a trademark of Netscape Communications Corporation.

ULTRASPARC and ULTRASCSI are trademarks of SPARC International Inc.

OSF DCE is a trademark of Open Software Foundation Inc.

Adobe\* Acrobat\* Reader\* are trademarks of Adobe Systems Incorporated.

Information about hardware replacement procedures for the STORM SAM-XTS hardware platform is copyright and reproduced with permission of Hewlett-Packard Company, L. P.

CISCO\* is a trademark of Cisco Technology, Inc.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<a href="http://www.openssl.org/">http://www.openssl.org/</a>)

### No Nortel liability for certain uses of its products

The information contained in this release relates to certain Nortel products that have been designed by or on behalf of Nortel to conform to applicable Nortel and third party specifications and requirements, including, for example, NEBS compliance. In addition, such Nortel products are designed to be used for its intended purpose as specified in this documentation. In the event, and to the extent, that such Nortel products are used by the user for a purpose other that its intended purpose, or used with third party products that do not conform to any such applicable Nortel and third party specifications and requirements, including, for example, NEBS compliance, Nortel shall have no liability of any kind to the user for any problems which may arise, including, without limitation, any related failure of the Nortel product to perform in accordance with its specification.

## What precautionary messages mean

The types of precautionary messages used in Nortel information include attention boxes and danger, warning, and caution messages.

An attention box identifies information that is necessary for the proper performance of a procedure or task or the correct interpretation of information or data.

A danger message identifies the possible risk of personal injury

A warning message identifies the risk of possible equipment damage

A caution messages identifies the risk of possible service interruption or degradation.

## How commands, parameters, and responses are represented

Commands, parameters, and responses in this document conform to the following conventions.

## Input prompt (>)

An input prompt (>) indicates that the information that follows is a command:

>BSY

## Commands and fixed parameters

Commands and fixed parameters that are entered at an interface are shown in uppercase letters:

>BSY CTRL

#### **Variables**

The letters or numbers that the variable represents must be entered. Each variable is explained in a list that follows the command string.

Variables are shown in lowercase letters:

```
>BSY CTRL ctrl_no
```

#### Responses

Responses are shown in the following type style:

```
FP 3 Busy CTRL 0: Command request has been submitted.
```

FP 3 Busy CTRL 0: Command passed.

If you have any questions regarding the above, please phone your Account Representative or contact Knowledge Services at 1-877-662-5669, option 4, option 1.

## **Documentation quality/raising CRs**

As we continue striving to improve the quality of the NTPs, your input continues to be a valuable source of information.

Many of the improvements that we make are based on the input that we receive from our customers via Customer Requests (CRs). If errors are found when using the documentation please contact your CTS Prime who will raise a CR thus putting the wheels in motion to update the related NTP.

## **Documentation services**

## Distribution

Please contact the following if you have any issues with distribution or ordering additional copies of documents or CDs:

Media (international)	Name	Location	Telephone/Email
Data CD-ROM	Siobhan Lawrence	Nortel	+44 (0) 20 8945 2935
Helmsman 4 Software CD-ROMs		Oakleigh Road South	ESN 730 2935
Helmsman 4 Training videos Hard copies NTPs		New Southgate London N11 1HB	spikinss@nortelnetworks.com
Media (North America)	Name	Location	Telephone/Email
Data CD-ROM	Shirley Hayes	Gilmore Global	(919) 277-2754
Helmsman 4 Software CD-ROMs		Logistics, Services	hayes@usa.gilmoreglobal.com
Helmsman 4 Training videos			
Hard copies NTPs			

# Helmsman Training

The Helmsman 4.0 User Guide is available on every Helmsman 4.0 data CD-ROM and a Helmsman 4.0 Training Video can be obtained from regional contacts noted in Documentation Services table above.